



## NITCtpatcher Report

### **SUPERSEDED - Hotfix ICATS760WX64002 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX141564  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### **New Fixes in This Release**

- When the quotAutoCreate Generic UniversalPrinterquot policy setting is enabled the Citrix Print ManagerService CpSvcexe does not create the Citrix Universal Printergeneric printerFrom ICATS760WX64002LC1255

#### **Fixes from Replaced Hotfixes**

### **SUPERSEDED - Hotfix ICATS760WX64005 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX141702  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### **New Fixes in This Release**

- The final image quality might degrade if the settingsquotBuild to losslessquot and quotAllow Visually LosslessCompressionquot are enabled on the Desktop Delivery ControllerDDCFrom ICATS760WX64005LC1271
- When users log on for the first time the screen might appearcorrupted in the Receiver session The issue occurs when youchange Visual quality to quotBuild to losslessquot and enablethe quotAllow visually lossless compressionquot settingFrom ICATS760WX64005LC1272
- This fix addresses a usability issue with Desktop CompositionRedirection with Receiver for Windows prior to Version 4200 whenused over LAN connectionsFromICATS760WX64005LC1507

#### **Fixes from Replaced Hotfixes**

### **Hotfix ICATS760WX64006 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX141918  
Downlad: <http://support.citrix.com/filedownload/CTX141918/ICATS760WX64006.msp>  
Status:HOTFIX

#### **New Fixes in This Release**

- The Citrix Stack Control service quitsunexpectedly if there is an invalid session keyFromICATS760WX64006LC1717

#### **Fixes from Replaced Hotfixes**

### **SUPERSEDED - LIMITED RELEASE - Hotfix ICATS760WX64007 - For VDA Core Services 7.6 forWindows Server OS (64-bit) - English**

Citrix ID:CTX141999  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### **New Fixes in This Release**

- The ActivIdentity accompkcexe process might exitunexpectedly with an exception on scardhook64dll As a resultthe websites that require

a smart card might not function until the VDA is restarted From ICATS760WX64007LC1056

#### Fixes from Replaced Hotfixes

### **SUPERSEDED - LIMITED RELEASE - Hotfix ICATS760WX64008 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID:CTX142035  
Download: <http://support.citrix.com#>  
Status: SUPERSEDED

#### New Fixes in This Release

- When switching between local and published applications by using the mouse the keyboard input might not work From ICATS760WX64008LA5849

#### Fixes from Replaced Hotfixes

### **Hotfix ICATS760WX64009 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX142036  
Download: <http://support.citrix.com/filedownload/CTX142036/ICATS760WX64009.msp>  
Status: HOTFIX

#### New Fixes in This Release

- When starting a published application users can experience slow logons From ICATS760WX64009LC0596

#### Fixes from Replaced Hotfixes

### **SUPERSEDED - Hotfix ICATS760WX64010 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX142037  
Download: <http://support.citrix.com#>  
Status: SUPERSEDED

#### New Fixes in This Release

- Citrix XenApp 76 and XenDesktop 76 VDA Core Services running on Windows Server 2008 R2 Server OS might become unresponsive at the "Welcome" screen. If this occurs, new Receiver and Remote Desktop RDP connections to the server fail. From ICATS760WX64010LC0405
- When recording a XenApp session where Legacy Graphics mode is disabled, recording files cannot be rolled over. From ICATS760WX64010LC1850
- This release fixes redundant frames generated by the HDX graphics encoder, resulting in a smoother frame rate and better interactivity. From ICATS760WX64010LC2177

#### Fixes from Replaced Hotfixes

- The final image quality might degrade if the "Build to lossless" and "Allow Visually Lossless Compression" are enabled on the Desktop Delivery Controller (DDC). From ICATS760WX64005LC1271
- When users log on for the first time, the screen might appear corrupted in the Receiver session. The issue occurs when you change the "Build to lossless" and "Allow visually lossless compression" settings. From ICATS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4200 when used over LAN connections. From ICATS760WX64005LC1507

### **LIMITED RELEASE - Hotfix ICATS760WX64011 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID:CTX142038  
Download: <http://support.citrix.com/filedownload/CTX142038/ICATS760WX64011.msp>  
Status: LIMITED RELEASE

**New Fixes in This Release**

- Opening a published application and then running the explorer.exe command to open Windows Explorer can cause the desktop to open instead of Windows Explorer. Note: After installing this fix, the explorer.exe process might exit unexpectedly. For more information, see Knowledge Center article CTX128009. From ICATS760WX64011LC0285

**Fixes from Replaced Hotfixes****Hotfix ICATS760WX64012 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID: CTX142160

Download: <http://support.citrix.com/filedownload/CTX142160/ICATS760WX64012.msp>

Status: HOTFIX

**New Fixes in This Release**

- This fix reinstates the "Legacy printer names" policy which was not previously available in Version 7.x of the product. From ICATS760WX64012LC1002

**Fixes from Replaced Hotfixes**

- When the "AutoCreate Generic Universal Printer" policy setting is enabled, the Citrix Print Manager Service CpSvc.exe does not create the Citrix Universal Printer generic printer. From ICATS760WX64002LC1255

**LIMITED RELEASE - Hotfix ICATS760WX64013 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID: CTX142161

Download: <http://support.citrix.com/filedownload/CTX142161/ICATS760WX64013.msp>

Status: LIMITED RELEASE

**New Fixes in This Release**

- The VDA experiences an error on ctdvcssys with bugcheck code E3 that appears on a blue screen. From ICATS760WX64013LC0857

**Fixes from Replaced Hotfixes****SUPERSEDED - LIMITED RELEASE - Hotfix ICATS760WX64014 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID: CTX142207

Download: <http://support.citrix.com/#>

Status: SUPERSEDED

**New Fixes in This Release**

- The time zone is not correct when users log on with Receiver for Windows. For this hotfix to work correctly, you must install the following: The same Microsoft time zone update hotfix on the user device and the server. For example, if Microsoft hotfix KB2998527 is installed on the user device, install this hotfix on the server.
- Microsoft Hotfix KB2870165 on the server if the server operating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device

**Fixes from Replaced Hotfixes**

- The final image quality might degrade if the settings "Build to lossless" and "Allow Visually Lossless Compression" are enabled on the Desktop Delivery Controller DDC. From ICATS760WX64005LC1271
- When users log on for the first time, the screen might appear corrupted in the Receiver session. The issue occurs when you change Visual quality to "Build to lossless" and enable the "Allow visually lossless compression" setting. From ICATS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4.200 when used over LAN connections. From ICATS760WX64005LC1507
- Citrix XenApp 7.6 and XenDesktop 7.6 VDA Core Services running on Windows Server 2008 R2 Server OS might become unresponsive at the "Welcome" screen. If this occurs, new Receiver and Remote Desktop RDP connections to the server fail. From ICATS760WX64010LC0405
- When recording a XenApp session where Legacy Graphics mode is disabled, recording files cannot be rolled over. From ICATS760WX64010LC1850
- This release fixes redundant frames generated by the HDX graphics encoder, resulting in a smoother frame rate and better interactivity. From

ICATS760WX64010LC2177

**LIMITED RELEASE - Hotfix ICATS760WX64015 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID:CTX142222

Downlad: <http://support.citrix.com/filedownload/CTX142222/ICATS760WX64015.msp>

Status:LIMITED RELEASE

**New Fixes in This Release**

- When users log off from a desktop session WFSHELL window stops responding and the message "WFSHELL needs to close" appears for three minutes From ICATS760WX64015LC1591

**Fixes from Replaced Hotfixes****Hotfix ICATS760WX64016 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English**

Citrix ID:CTX142223

Downlad: <http://support.citrix.com/filedownload/CTX142223/ICATS760WX64016.msp>

Status:HOTFIX

**New Fixes in This Release**

- When users log on with Receiver the Windows logon security notice does not disappear until after the user's published application starts From ICATS760WX64016LC1215

**Fixes from Replaced Hotfixes****LIMITED RELEASE - Hotfix ICATS760WX64017 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID:CTX142224

Downlad: <http://support.citrix.com/filedownload/CTX142224/ICATS760WX64017.msp>

Status:LIMITED RELEASE

**New Fixes in This Release**

- The error message "No valid certificates found" appears when users attempt to start an application through StoreFront with smart card authentication. This prevents users from logging on. From ICATS760WX64017LC1704

**Fixes from Replaced Hotfixes**

- The Active Directory account process might exit unexpectedly with an exception on scardhook64.dll. As a result, the websites that require a smart card might not function until the VDA is restarted. From ICATS760WX64007LC1056

**LIMITED RELEASE - Hotfix ICATS760WX64018 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English**

Citrix ID:CTX142225

Downlad: <http://support.citrix.com/filedownload/CTX142225/ICATS760WX64018.msp>

Status:LIMITED RELEASE

**New Fixes in This Release**

- If Active Directory servers are set as Read-Only servers, users cannot start applications and the message "Connection Established Negotiating Capabilities" appears indefinitely. From ICATS760WX64018LC1964

**Fixes from Replaced Hotfixes**

## LIMITED RELEASE - Hotfix ICATS760WX64021 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID:CTX142255

Download: <http://support.citrix.com/filedownload/CTX142255/ICATS760WX64021.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- The VDA servers experience an error on picadssys and a blue screen appears from ICATS760WX64021LC0798

### Fixes from Replaced Hotfixes

## SUPERSEDED - Hotfix ICATS760WX64022 - For VDA Core Services 7.6 for Windows Server OS(64-bit) - English

Citrix ID:CTX142321

Download: <http://support.citrix.com/#>

Status:SUPERSEDED

### New Fixes in This Release

- When establishing a Remote Desktop RDP connection to a VDA and then disconnecting from the RDP session the following error message Event ID 1048 appears in the event log: "The Citrix Desktop Service is reregistering with the DDC Notification Manager Notification Service Thread WCF failure or rejection by broker DDC BruinewerlnquotquotFrom ICATS760WX64022LC0251"
- Servers might experience a fatal exception displaying a blue screen on vdtw30dll from ICATS760WX64022LC0471
- A "Connection Established Negotiating Capabilities" popup window appears from the Receiver when the VDA becomes unresponsive. To start any other sessions successfully restart the VDA from ICATS760WX64022LC0909
- Servers might experience a fatal exception on vdtw30dll with bugcheck code IRQL\_NOT\_LESS\_OR\_EQUAL appearing on a blue screen from ICATS760WX64022LC1414
- Playing an audio file from Receiver for HTML5 where SSL is enabled in the ICA session can cause the VDA to fail with an error on blue screen from ICATS760WX64022LC1752
- When users attempt to connect to a disconnected session it can take up to three minutes to establish the connection from ICATS760WX64022LC1908
- The Powershell command "Get-BrokerSession FormatList Property SessionState" shows incorrect session status. For example, disconnected connections show as an active session from ICATS760WX64022LC2080
- After upgrading VDAs from XenDesktop 75 to XenDesktop 76 when users attempt to connect error 1030 appears in the System Event log showing the following message: "The Citrix ICA Transport Driver received an invalid Transport packet on port 2598" from ICATS760WX64022LC2501
- Users cannot start applications after updating cipher registry keys. To apply this fix, install the new version of the SSL SDK from ICATS760WX64022LC2729
- With this fix, the bandwidth cap for HDX network traffic is 20 megabits per second (Mbps) from ICATS760WX64022LC2780
- This release includes support for the Framehawk Virtual Channel, a new ICA virtual channel that extends Citrix HDX technologies to improve user experience on broadband wireless connections where packet loss and latency are common issues. For more information, see New in XenApp 76 and XenDesktop 76 from ICATS760WX64022LC2782
- This release includes an enhancement that allows users that log on with Receiver for HTML5 or Receiver for Chrome to transfer files through remote sessions and local devices. For more information, see Receiver for Chrome or Receiver for HTML5 from ICATS760WX64022LC3014

### Fixes from Replaced Hotfixes

- The final image quality might degrade if the settings "Build to lossless" and "Allow Visually Lossless Compression" are enabled on the Desktop Delivery Controller (DDC) from ICATS760WX64005LC1271
- When users log on for the first time, the screen might appear corrupted in the Receiver session. The issue occurs when you change Visual quality to "Build to lossless" and enable the "Allow visually lossless compression" setting from ICATS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4200 when used over LAN connections from ICATS760WX64005LC1507
- Citrix XenApp 76 and XenDesktop 76 VDA Core Services running on Windows Server 2008 R2 Server OS might become unresponsive at the "Welcome" screen. If this occurs, new Receiver and Remote Desktop RDP connections to the server fail from ICATS760WX64010LC0405
- When recording a XenApp session where Legacy Graphics mode is disabled, recording files cannot be rolled over from ICATS760WX64010LC1850
- This release fixes redundant frames generated by the HDX graphics encoder, resulting in a smoother frame rate and better interactivity from ICATS760WX64010LC2177
- The time zone is not correct when users log on with Receiver for Windows. For this hotfix to work correctly, you must install the following: The same Microsoft time zone update hotfix on the user device and the server. For example, if Microsoft hotfix KB2998527 is installed on the user device, install this hotfix on the server.
- Microsoft Hotfix KB2870165 on the server if the server operating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device

## LIMITED RELEASE - Hotfix ICATS760WX64023 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID:CTX142350

Download: <http://support.citrix.com/filedownload/CTX142350/ICATS760WX64023.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- When Session Lingering is enabled and an application is closed on an iOS or Android device a black window appears and stays on the device screen From ICATS760WX64023LC1407
- When maximizing published versions of Excel or Internet Explorer the top of the name box formula bar or menu bar appear as a white bar To enable the fix for Excel and Internet Explorer create the following registry keys  
Excel HKEYLOCALMACHINESYSTEMCurrentControlSetControlCitrixwshellTWIXLMAINName  
ClassNameTypeREGSZValueXLMAINName TypeType DWORDValue 00020000Internet  
Explorer HKEYLOCALMACHINESYSTEMCurrentControlSetControlCitrixwshellTWIIFrameName  
ClassNameTypeREGSZValueIEFrameName TypeType DWORDValue 00020000To apply this fix to multiple servers create a registry flag  
For more information see "Seamless Per Application Window Registry Flags" in Seamless Configuration.pdf on the Citrix Support site From ICATS760WX64023LC2504
- When opening a published version of Internet Explorer on Windows Phone 81 if the device is turned horizontally half of the screen appears as a blank window Additionally users cannot maximize the Internet Explorer window If users turn the device vertically the screen appears normal From ICATS760WX64023LC2786

### Fixes from Replaced Hotfixes

- When switching between local and published applications by using the mouse the keyboard input might not work From ICATS760WX64008LA5849

## LIMITED RELEASE - Hotfix ICATS760WX64026 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID:CTX142501

Download: <http://support.citrix.com/filedownload/CTX142501/ICATS760WX64026.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- Windows Explorer might close unexpectedly in one of the following cases When selecting a large number of files whose names contain more than 260 characters and then selecting the "Send to > Fax recipient" option
- When attempting to open third party applications
- When attempting to combine files by using Nitro PDF

### Fixes from Replaced Hotfixes

## LIMITED RELEASE - Hotfix ICATS760WX64027 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID:CTX142502

Download: <http://support.citrix.com/filedownload/CTX142502/ICATS760WX64027.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- If Lotus Notes is started on an iPad with Receiver for iOS the application might close unexpectedly From ICATS760WX64027LC2124

### Fixes from Replaced Hotfixes

## LIMITED RELEASE - Hotfix ICATS760WX64028 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID:CTX142541

Download: <http://support.citrix.com/filedownload/CTX142541/ICATS760WX64028.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- When Excelhook is enabled switching between open Excel workbooks can lose the focus on the selected workbook. Additionally, users cannot select any of the open Excel workbooks and the focus stays on the last chosen file. From ICATS760WX64028LC2589

#### Fixes from Replaced Hotfixes

### LIMITED RELEASE - Hotfix ICATS760WX64029 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID: CTX142598

Download: <http://support.citrix.com/filedownload/CTX142598/ICATS760WX64029.msp>

Status: LIMITED RELEASE

#### New Fixes in This Release

- Attempts to work on a file that resides on a Client Drive Mapping (CDM) drive might result in a deadlock on picadmsys and can cause the published desktop to become unresponsive. From ICATS760WX64029LC2312

#### Fixes from Replaced Hotfixes

- The operating system experiences an error on picadmsys and a blue screen appears. The issue occurs when the value of `TruactionResource` becomes null. From ICATS760WX64019LC1430

### Hotfix ICATS760WX64032 - For VDA Core Services 7.6 for Windows Server OS (64-bit) - English

Citrix ID: CTX142640

Download: <http://support.citrix.com/filedownload/CTX142640/ICATS760WX64032.msp>

Status: HOTFIX

#### New Fixes in This Release

- Windows Server 2008 R2 and Windows Server 2012 R2 might experience a fatal exception when users connect with Receiver for Windows. From ICATS760WX64032LC2179

#### Fixes from Replaced Hotfixes

- The final image quality might degrade if the settings `Build to lossless` and `Allow Visually Lossless Compression` are enabled on the Desktop Delivery Controller (DDC). From ICATS760WX64005LC1271
- When users log on for the first time the screen might appear corrupted in the Receiver session. The issue occurs when you change `Visual quality` to `Build to lossless` and enable the `Allow visually lossless compression` setting. From ICATS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4200 when used over LAN connections. From ICATS760WX64005LC1507
- Citrix XenApp 76 and XenDesktop 76 VDA Core Services running on Windows Server 2008 R2 Server OS might become unresponsive at the `Welcome` screen. If this occurs new Receiver and Remote Desktop RDP connections to the server fail. From ICATS760WX64010LC0405
- When recording a XenApp session where Legacy Graphics mode is disabled recording files cannot be rolled over. From ICATS760WX64010LC1850
- This release fixes redundant frames generated by the HDX graphics encoder resulting in a smoother frame rate and better interactivity. From ICATS760WX64010LC2177
- The time zone is not correct when users log on with Receiver for Windows. For this hotfix to work correctly you must install the following: The same Microsoft time zone update hotfix on the user device and the server. For example, if Microsoft hotfix KB2998527 is installed on the user device, install this hotfix on the server.
- Microsoft Hotfix KB2870165 on the server if the server operating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device
- When establishing a Remote Desktop RDP connection to a VDA and then disconnecting from the RDP session, the following error message: `Event ID 1048` appears in the event log: `The Citrix Desktop Service is reregistering with the DDC. NotificationManagerNotificationServiceThread WCF failure or rejection by broker DDC.` From ICATS760WX64022LC0251
- Servers might experience a fatal exception displaying a blue screen on `vdw30dll`. From ICATS760WX64022LC0471
- A `Connection Established Negotiating Capabilities` popup window appears from the Receiver when the VDA becomes unresponsive. To start any other sessions successfully, restart the VDA. From ICATS760WX64022LC0909
- Servers might experience a fatal exception on `vdw30dll` with bugcheck code `IRQL_NOT_LESS_OR_EQUAL` appearing on a blue screen. From ICATS760WX64022LC1414
- Playing an audio file from Receiver for HTML5 where SSL is enabled in the ICA session can cause the VDA to fail with an error on a blue screen. From ICATS760WX64022LC1752
- When users attempt to connect to a disconnected session, it can take up to three minutes to establish the connection. From ICATS760WX64022LC1908
- The PowerShell command `Get-BrokerSession -Format List -Property SessionState` shows incorrect session status. For example, disconnected connections show as an active session. From ICATS760WX64022LC2080
- After upgrading VDAs from XenDesktop 75 to XenDesktop 76 when users attempt to connect, error 1030 appears in the System Event log showing the following message: `The Citrix ICA Transport Driver received an invalid Transport packet on port`

2598quotFromICATS760WX64022LC2501

- Users cannot start applications after updating cipher registry keys To apply this fix install the new version of the SSL SDKFromICATS760WX64022LC2729
- With this fix the bandwidth cap for HDX network traffic is 20 megabits per secondMbpsFrom ICATS760WX64022LC2780
- This release includes support for the Framehawk VirtualChannel a new ICA virtual channel that extends Citrix HDX technologies to improve user experience on broadband wireless connections where packet loss and latency are common issues For more information see New in XenApp 7.6 and XenDesktop 7.6From ICATS760WX64022LC2782
- This release includes an enhancement that allows users that log on with Receiver for HTML5 or Receiver for Chrome to transfer files through remote sessions and local devices For more information see Receiver for Chrome or Receiver for HTML5FromICATS760WX64022LC3014

## **SUPERSEDED - Hotfix ICAWS760WX64002 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX141566  
 Download: <http://support.citrix.com#>  
 Status: SUPERSEDED

### **New Fixes in This Release**

- When the "AutoCreate Generic Universal Printer" policy setting is enabled the Citrix Print Manager Service CpSvc.exe does not create the Citrix Universal Printer generic printerFrom ICAWS760WX64002LC1255

### **Fixes from Replaced Hotfixes**

## **SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64004 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX141695  
 Download: <http://support.citrix.com#>  
 Status: SUPERSEDED

### **New Fixes in This Release**

- If the Windows Remote Desktop Session Host Configuration policy setting "Always prompt for password upon connection" is enabled when users log on to VDA 7.x by using the ICA protocol users receive a prompt to enter their credentials again To enable this fix set the following registry key HKEY\_LOCAL\_MACHINE\SOFTWARE\Citrix\PorticaNameAutoLogonType DWORD Data 0x00000010From ICAWS760WX64004LC1180

### **Fixes from Replaced Hotfixes**

## **SUPERSEDED - Hotfix ICAWS760WX64005 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX141704  
 Download: <http://support.citrix.com#>  
 Status: SUPERSEDED

### **New Fixes in This Release**

- When Desktop Composition Redirection DCR is used on wide area network WAN connections web pages or documents that show text and graphic content might become unresponsive and can also consume high bandwidthFrom ICAWS760WX64005LC1256
- Under certain conditions desktop sessions connecting through session reliability might experience loss of audio connectivityFrom ICAWS760WX64005LC1257
- The final image quality might degrade if the settings "Build to lossless" and "Allow Visually Lossless Compression" are enabled on the Desktop Delivery Controller DDCFrom ICAWS760WX64005LC1271
- When users log on for the first time the screen might appear corrupted in the Receiver session The issue occurs when you change Visual quality to "Build to lossless" and enable the "Allow visually lossless compression" settingFrom ICAWS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4.200 when used over LAN connectionsFrom ICAWS760WX64005LC1507

### **Fixes from Replaced Hotfixes**

## **LIMITED RELEASE - Hotfix ICAWS760WX64006 - For VDA Core Services 7.6**



## forWindows Desktop OS (64-bit) - English

Citrix ID:CTX141921

Downlad: <http://support.citrix.com/filedownload/CTX141921/ICAWS760WX64006.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- The VDA experiences an error on ctdvcssys withbugcheck code E3 that appears on a blue screenFromICAWS760WX64006LC0857

### Fixes from Replaced Hotfixes

## LIMITED RELEASE - Hotfix ICAWS760WX64007 - For VDA Core Services 7.6 forWindows Desktop OS (64-bit) - English

Citrix ID:CTX141936

Downlad: <http://support.citrix.com/filedownload/CTX141936/ICAWS760WX64007.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- When users log off from a desktop sessionWFShellWindow stops responding and the message quotWfshell needsto closequot appears for three minutesFromICAWS760WX64007LC1591

### Fixes from Replaced Hotfixes

## LIMITED RELEASE - Hotfix ICAWS760WX64008 - For VDA Core Services 7.6 forWindows Desktop OS (64-bit) - English

Citrix ID:CTX142051

Downlad: <http://support.citrix.com/filedownload/CTX142051/ICAWS760WX64008.msp>

Status:LIMITED RELEASE

### New Fixes in This Release

- When users logon and then logoff with a smart card andthen logs on with a user name and password the connection startsand then disconnects almost immediately This continues until theuser connects with the smart card againFromICAWS760WX64008LC1831

### Fixes from Replaced Hotfixes

## SUPERSEDED - Hotfix ICAWS760WX64010 - For VDA Core Services 7.6 for Windows DesktopOS (64-bit) - English

Citrix ID:CTX142095

Downlad: <http://support.citrix.com/#>

Status:SUPERSEDED

### New Fixes in This Release

- This fix allows creation of persistence registrysettings for user devicesFromICAWS760WX64010LC1827
- This release fixesredundant frames generated by the HDX graphics encoder resulting in a smoother framerate and better interactivityFromICAWS760WX64010LC2177

### Fixes from Replaced Hotfixes

- When Desktop Composition Redirection DCR is used onwide area network WAN connections web pages or documents thatshow text and graphic content might become unresponsive and canalso consume high bandwidthFromICAWS760WX64005LC1256
- Under certainconditions desktop sessions connecting through sessionreliability might experience loss of audio connectivityFrom ICAWS760WX64005LC1257
- The finalimage quality might degrade if the settings quotBuild tolosslessquot and quotAllow Visually Lossless Compressionquotare enabled on the Desktop Delivery Controller DDCFrom ICAWS760WX64005LC1271
- When userslog on for the first time the screen might appear corrupted inthe Receiver session The issue occurs when you changeVisualqualityto quotBuild to losslessquot and enable thequotAllow visually lossless compressionquot settingFrom ICAWS760WX64005LC1272
- This fixaddresses a usability issue with Desktop Composition Redirectionwith Receiver for Windows prior to Version 4200 when used overLAN connectionsFrom ICAWS760WX64005LC1507

**Hotfix ICAWS760WX64011 - For VDA Core Services 7.6 for Windows DesktopOS (64-bit) - English**

Citrix ID:CTX141690

Downlad: <http://support.citrix.com/filedownload/CTX141690/ICAWS760WX64011.msp>

Status:HOTFIX

**New Fixes in This Release**

- When connecting a USB magnetic card reader device the device is recognized in the virtual desktop but the correct drivers do not load From ICAWS760WX64011LC0360

**Fixes from Replaced Hotfixes****LIMITED RELEASE - Hotfix ICAWS760WX64012 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX142151

Downlad: <http://support.citrix.com/filedownload/CTX142151/ICAWS760WX64012.msp>

Status:LIMITED RELEASE

**New Fixes in This Release**

- When users log off from XenDesktop in XenCenter or the vSphere console the user desktop session appears for several seconds From ICAWS760WX64012LC1782

**Fixes from Replaced Hotfixes****SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64013 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX142154

Downlad: <http://support.citrix.com/#>

Status:SUPERSEDED

**New Fixes in This Release**

- If users start a Receiver session when there are existing Remote Desktop and console sessions to the same Remote PC VDA the Receiver session fails with the message "Reconnecting" This message appears indefinitely until users manually close the Receiver session From ICAWS760WX64013LC0627
- when users connect by using single signon to StoreFront through NetScaler Gateway where ICA proxy is enabled and then log off and log on again VDA policies do not work When users disconnect the session and then reconnect a second time the VDA policies work From ICAWS760WX64013LC2577

**Fixes from Replaced Hotfixes**

- If the Windows Remote Desktop Session Host Configuration policy setting "Always prompt for password upon connection" is enabled when users log on to VDA 7x by using the ICA protocol users receive a prompt to enter their credentials again To enable this fix set the following registry key: HKEY\_LOCAL\_MACHINE\Software\Citrix\PorticaNameAutoLogonType DWORD Data 0x00000001 Note The Citrix Display Drive can be marked for deletion if there are multiple attempts to run the MSP file This causes the installation of the hotfix to fail In addition the display resolution of the VDA might not work To allow this to work restart the VDA and then install the hotfix again From ICAWS760WX64004LC1180

**Hotfix ICAWS760WX64014 - For VDA Core Services 7.6 for Windows DesktopOS (64-bit) - English**

Citrix ID:CTX142157

Downlad: <http://support.citrix.com/filedownload/CTX142157/ICAWS760WX64014.msp>

Status:HOTFIX

**New Fixes in This Release**

- This fix reinstates the "Legacy printer names" policy which was not previously available in Version 7x of the product From

ICAWS760WX64014LC1002

#### Fixes from Replaced Hotfixes

- When the quotAutoCreate Generic UniversalPrinterquot policy setting is enabled the Citrix Print ManagerService CpSvcexe does not create the Citrix Universal Printergeneric printerFrom ICAWS760WX64002LC1255

### **SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64015 - For VDA Core Services 7.6for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX142178  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### New Fixes in This Release

- If legacy graphics are enabled mouse pointershadowing is not automatically disabledFromICAWS760WX64015LC2222

#### Fixes from Replaced Hotfixes

### **SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64016 - For VDA Core Services 7.6 forWindows Desktop OS (64-bit) - English**

Citrix ID:CTX142197  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### New Fixes in This Release

- Internet Explorer might close unexpectedly whenattempting to play a video in web sites whereThe option quotDisable Flash accelerationquot is enabledor if the site is blacklisted
- The user is using aReceiver version that does not support Flash redirection such asReceivers forMac OS X iPad iPhone and Android

#### Fixes from Replaced Hotfixes

### **SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64017 - For VDA Core Services 7.6 forWindows Desktop OS (64-bit) - English**

Citrix ID:CTX142204  
Downlad: <http://support.citrix.com#>  
Status:SUPERSEDED

#### New Fixes in This Release

- The time zone is not correct when users log onwith Receiver for Windows For this hotfix to work correctly youmust install the followingThe sameMicrosoft time zone update hotfix on the user device and theserver For example if Microsoft hotfix KB2998527 is installedon the user device install this hotfix on the server
- Microsoft Hotfix KB2870165 on the server if the serveroperating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device

#### Fixes from Replaced Hotfixes

### **LIMITED RELEASE - Hotfix ICAWS760WX64018 - For VDA Core Services 7.6 forWindows Desktop OS (64-bit) - English**

Citrix ID:CTX142243  
Downlad: <http://support.citrix.com/filedownload/CTX142243/ICAWS760WX64018.msp>  
Status:LIMITED RELEASE

#### New Fixes in This Release

- The error message quotNo valid certificatesfoundquot appears when users attempt to start an applicationthrough StoreFront with smart card authentication This preventsusers from logging onFromICAWS760WX64018LC1704

**Fixes from Replaced Hotfixes****SUPERSEDED - LIMITED RELEASE - Hotfix ICAWS760WX64019 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX142301  
 Downlad: <http://support.citrix.com#>  
 Status:SUPERSEDED

**New Fixes in This Release**

- When reconnecting to a Receiver session the CPU consumption can be high if many Windows Explorer instances are running on a VDA. Additionally minimized windows get maximized intermittently before getting minimized into the Windows taskbar again. From ICAWS760WX64019LC0315
- If the keyboard layout of the user device is different from the keyboard layout of the VDA the display might become unresponsive for about 60 to 70 seconds while starting a virtual desktop session from Receiver for Windows. From ICAWS760WX64019LC1939
- If the default Unicode input language of the user device is different from the input language of the VDA the session might become unresponsive while the session desktop is loading. From ICAWS760WX64019LC2287
- If the keyboard layout of the user device is different from the keyboard layout of the VDA the session might become unresponsive while the session desktop is loading. From ICAWS760WX64019LC2466

**Fixes from Replaced Hotfixes**

- If legacy graphics are enabled mouse pointer shadowing is not automatically disabled. From ICAWS760WX64015LC2222

**SUPERSEDED - Hotfix ICAWS760WX64022 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English**

Citrix ID:CTX142329  
 Downlad: <http://support.citrix.com#>  
 Status:SUPERSEDED

**New Fixes in This Release**

- A "Connection Established Negotiating Capabilities" popup window appears from the Receiver when the VDA becomes unresponsive. To start any other sessions successfully restart the VDA. From ICAWS760WX64022LC0909
- When users connect to a VDA with Remote Desktop RDP and then attempt to start a desktop from the Web Interface Receiver for Linux starts and the ICA connection stops responding. From ICAWS760WX64022LC1383
- If the UxPersistence key is enabled in the registry attempts to move applications to the edge of the screen by using the Windows key and the left or right arrow keys fail after disconnecting and then reconnecting to a session. From ICAWS760WX64022LC1684
- Playing an audio file from Receiver for HTML5 where SSL is enabled in the ICA session can cause the VDA to fail with an error on blue screen. From ICAWS760WX64022LC1752
- If the VDA is installed by using the command switch server vdi Virtual Channels do not appear in HDX supported applications such as Thinwire Advanced Flash or MediaPlayer. From ICAWS760WX64022LC1894
- The Windows server and the desktop VDA might become unresponsive and ICA connections to the VDA fail. From ICAWS760WX64022LC2041
- Occasionally window positions are not retained when users reconnect to a VDA and are using multiple monitors. From ICAWS760WX64022LC2075
- In a XenDesktop session a message box appears that says a service wants to show a message. When the user clicks "View the message" the XenDesktop session shows a black screen. The issue occurs when the XenDesktop VDA is already using session 0. From ICAWS760WX64022LC2160
- If users log on to the Web Interface from within a VDA desktop session and attempt to start the same desktop the session might disconnect and the VDA becomes unresponsive. As a result users might not be able to start the desktop and the VDA must be restarted. From ICAWS760WX64022LC2267
- Users cannot start applications after updating cipher registry keys. To apply this fix install the new version of the SSL SDK. From ICAWS760WX64022LC2729
- When users reconnect to a VDA if "User Experience Persistence" is enabled application windows can be in an incorrect state such as maximized instead of restored. From ICAWS760WX64022LC2769
- With this fix the bandwidth cap for HDX network traffic is 20 megabits per second. From ICAWS760WX64022LC2780
- This release includes support for the Framehawk Virtual Channel, a new ICA virtual channel that extends Citrix HDX technologies to improve user experience on broadband wireless connections where packet loss and latency are common issues. For more information see New in XenApp 7.6 and XenDesktop 7.6. From ICAWS760WX64022LC2782
- This release includes an enhancement that allows users that log on with Receiver for HTML5 or Receiver for Chrome to transfer files through remote sessions and local devices. For more information see Receiver for Chrome or Receiver for HTML5. From ICAWS760WX64022LC3014

**Fixes from Replaced Hotfixes**

- If the Windows Remote Desktop Session Host Configuration policy setting "Always prompt for password upon connection" is enabled when users log on to VDA 7x by using the ICA protocol users receive a prompt to enter their credentials again. To enable this fix set the following registry key: HKEY\_LOCAL\_MACHINE\Software\Citrix\PorticaNameAutoLogonType DWORD Data 0x00000001. Note: The

Citrix Display Drive can be marked for deletion if there are multiple attempts to run the MSP file. This causes the installation of the hotfix to fail. In addition, the display resolution of the VDA might not work. To allow this to work, restart the VDA and then install the hotfix again. From ICAWS760WX64004LC1180

- When Desktop Composition Redirection DCR is used on wide area network WAN connections, web pages or documents that show text and graphic content might become unresponsive and can also consume high bandwidth. From ICAWS760WX64005LC1256
- Under certain conditions, desktop sessions connecting through session reliability might experience loss of audio connectivity. From ICAWS760WX64005LC1257
- The final image quality might degrade if the settings "Build to lossless" and "Allow Visually Lossless Compression" are enabled on the Desktop Delivery Controller DDC. From ICAWS760WX64005LC1271
- When users log on for the first time, the screen might appear corrupted in the Receiver session. The issue occurs when you change Visual quality to "Build to lossless" and enable the "Allow visually lossless compression" setting. From ICAWS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4200 when used over LAN connections. From ICAWS760WX64005LC1507
- This fix allows creation of persistence registry settings for user devices. From ICAWS760WX64010LC1827
- This release fixes redundant frames generated by the HDX graphics encoder, resulting in a smoother framerate and better interactivity. From ICAWS760WX64010LC2177
- If users start a Receiver session when there are existing Remote Desktop and console sessions to the same Remote PC VDA, the Receiver session fails with the message "Reconnecting". This message appears indefinitely until users manually close the Receiver session. From ICAWS760WX64013LC0627
- When users connect by using single sign-on to StoreFront through NetScaler Gateway where ICA proxy is enabled and then log off and log on again, VDA policies do not work. When users disconnect the session and then reconnect a second time, the VDA policies work. From ICAWS760WX64013LC2577
- If legacy graphics are enabled, mouse pointer shadowing is not automatically disabled. From ICAWS760WX64015LC2222
- The time zone is not correct when users log on with Receiver for Windows. For this hotfix to work correctly, you must install the following: The same Microsoft time zone update hotfix on the user device and the server. For example, if Microsoft hotfix KB2998527 is installed on the user device, install this hotfix on the server.
- Microsoft Hotfix KB2870165 on the server if the server operating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device
- When reconnecting to a Receiver session, the CPU consumption can be high if many Windows Explorer instances are running on a VDA. Additionally, minimized windows get maximized intermittently before getting minimized into the Windows taskbar again. From ICAWS760WX64019LC0315
- If the keyboard layout of the user device is different from the keyboard layout of the VDA, the display might become unresponsive for about 60 to 70 seconds while starting a virtual desktop session from Receiver for Windows. From ICAWS760WX64019LC1939
- If the default Unicode input language of the user device is different from the input language of the VDA, the session might become unresponsive while the session desktop is loading. From ICAWS760WX64019LC2287
- If the keyboard layout of the user device is different from the keyboard layout of the VDA, the session might become unresponsive while the session desktop is loading. From ICAWS760WX64019LC2466

## LIMITED RELEASE - Hotfix ICAWS760WX64023 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English

Citrix ID: CTX142409

Download: <http://support.citrix.com/filedownload/CTX142409/ICAWS760WX64023.msp>

Status: LIMITED RELEASE

### New Fixes in This Release

- Attempts to reconnect to VDA session by using a smartcard with a personal identification number PIN fail and one of the following error messages appear: Insert a smartcard
- Reading Card

### Fixes from Replaced Hotfixes

- The error message "No valid certificates found" appears when users attempt to start an application through StoreFront with smart card authentication. This prevents users from logging on. From ICAWS760WX64018LC1704

## Hotfix ICAWS760WX64024 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English

Citrix ID: CTX142411

Download: <http://support.citrix.com/filedownload/CTX142411/ICAWS760WX64024.msp>

Status: HOTFIX

### New Fixes in This Release

- Flash redirection fails for videos embedded on mmlbcom and msncom. A black rectangle appears in place of the video. To enable this fix, set the following registry keys: For mmlbcom: HKEY\_LOCAL\_MACHINE\SOFTWARE\Wow6432Node\Citrix\Hdx\MediaStreamForFlashServer\PseudoServer\ASJS\CallbacksName mmlbcomType REGMULTISZ Data\place each value on a separate line null separated; set PlaylistStartPlaylistFor msncom: HKEY\_LOCAL\_MACHINE\SOFTWARE\Wow6432Node\Citrix\Hdx\MediaStreamForFlashServer\PseudoServer\ASJS\CallbacksName msncomType REGMULTISZ Data\place each value on a separate line null

separatedgtMsnVideoCallbackMsnVideoPropertyCallbackGetWidgetIDThis fix works only for Internet Explorer 9 andlater To allow this to work set Internet Explorer to run in emulation mode and set Internet Explorer versions 9 and 10 to document mode For more information see article CTX136588 on the Citrix Support site

#### Fixes from Replaced Hotfixes

- Internet Explorer might close unexpectedly when attempting to play a video in web sites where The option quotDisable Flash accelerationquot is enabled or if the site is blacklisted
- The user is using a Receiver version that does not support Flash redirection such as Receivers for Mac OS X iPad iPhone and Android

### LIMITED RELEASE - Hotfix ICAWS760WX64025 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English

Citrix ID: CTX142420

Download: <http://support.citrix.com/filedownload/CTX142420/ICAWS760WX64025.msp>

Status: LIMITED RELEASE

#### New Fixes in This Release

- The VDA might become unresponsive if a VDA session is maximized when using graphic applications From ICAWS760WX64025LC0908
- In rare cases installing or reinstalling the MSP hotfix package can cause the Citrix Display Driver Citrix Systems WDDM to be marked for deletion This causes the installation to fail which leaves the VDAs display resolution unusable From ICAWS760WX64025LC3312

#### Fixes from Replaced Hotfixes

### Hotfix ICAWS760WX64026 - For VDA Core Services 7.6 for Windows Desktop OS (64-bit) - English

Citrix ID: CTX142642

Download: <http://support.citrix.com/filedownload/CTX142642/ICAWS760WX64026.msp>

Status: HOTFIX

#### New Fixes in This Release

- Windows Server 2008 R2 and Windows Server 2012 R2 might experience a fatal exception when users connect with Receiver for Windows From ICAWS760WX64026LC2179

#### Fixes from Replaced Hotfixes

- If the Windows Remote Desktop Session Host Configuration policy setting quotAlways prompt for password upon connectionquot is enabled when users log on to VDA 7x by using the ICA protocol users receive a prompt to enter their credentials again To enable this fix set the following registry key HKEY\_LOCAL\_MACHINE\Software\Citrix\PorticaNameAutoLogonType DWORD Data 0x00000001 Note The Citrix Display Drive can be marked for deletion if there are multiple attempts to run the MSP file This causes the installation of the hotfix to fail In addition the display resolution of the VDA might not work To allow this to work restart the VDA and then install the hotfix again From ICAWS760WX64004LC1180
- When Desktop Composition Redirection DCR is used on wide area network WAN connections web pages or documents that show text and graphic content might become unresponsive and can also consume high bandwidth From ICAWS760WX64005LC1256
- Under certain conditions desktop sessions connecting through session reliability might experience loss of audio connectivity From ICAWS760WX64005LC1257
- The final image quality might degrade if the settings quotBuild to losslessquot and quotAllow Visually Lossless Compressionquot are enabled on the Desktop Delivery Controller DDC From ICAWS760WX64005LC1271
- When users log on for the first time the screen might appear corrupted in the Receiver session The issue occurs when you change Visual quality to quotBuild to losslessquot and enable the quotAllow visually lossless compressionquot setting From ICAWS760WX64005LC1272
- This fix addresses a usability issue with Desktop Composition Redirection with Receiver for Windows prior to Version 4200 when used over LAN connections From ICAWS760WX64005LC1507
- This fix allows creation of persistence registry settings for user devices From ICAWS760WX64010LC1827
- This release fixes redundant frames generated by the HDX graphics encoder resulting in a smoother framerate and better interactivity From ICAWS760WX64010LC2177
- If users start a Receiver session when there are existing Remote Desktop and console sessions to the same Remote PC VDA the Receiver session fails with the message quotReconnectingquot This message appears indefinitely until users manually close the Receiver session From ICAWS760WX64013LC0627
- When users connect by using single signon to StoreFront through NetScaler Gateway where ICA proxy is enabled and then log off and log on again VDA policies do not work When users disconnect the session and then reconnect a second time the VDA policies work From ICAWS760WX64013LC2577
- If legacy graphics are enabled mouse pointer shadowing is not automatically disabled From ICAWS760WX64015LC2222
- The time zone is not correct when users log on with Receiver for Windows For this hotfix to work correctly you must install the following The same Microsoft time zone update hotfix on the user device and the server For example if Microsoft hotfix KB2998527 is installed on the user device install this hotfix on the server
- Microsoft Hotfix KB2870165 on the server if the server operating system is Windows Server 2008 R2 Service Pack 1
- Fix LC1392 is installed on the user device
- When reconnecting to a Receiver session the CPU consumption can be high if many Windows Explorer instances are running on a

VDAAdditionally minimized windows get maximized intermittentlybefore getting minimized into the Windows taskbar againFrom ICAWS760WX64019LC0315

- If thekeyboard layout of the user device is different from the keyboardlayout of the VDA the display might become unresponsive for about60 to 70 seconds while starting a virtual desktop session fromReceiver for WindowsFrom ICAWS760WX64019LC1939
- If the default Unicode input language of the userdevice is different from the input language of the VDA thesession might become unresponsive while the session desktop isloadingFrom ICAWS760WX64019LC2287
- If the keyboard layout of the user device is different from thekeyboard layout of the VDA the session might become unresponsivewhile the session desktop is loadingFromICAWS760WX64019LC2466
- A quotConnectionEstablished Negotiating Capabilitiesquot popup window appearsfrom the Receiver when the VDA becomes unresponsive To start anyother sessions successfully restart the VDAFromICAWS760WX64022LC0909
- Users cannot switchfrom a Remote Desktop RDP session to a Receiver sessionFrom ICAWS760WX64022LC1383
- If theUxPersistence key is enabled in the registry attempts to moveapplications to the edge of the screen by using the Windows keyand the left or right arrow keys fail after disconnecting and thenreconnecting to a sessionFromICAWS760WX64022LC1684
- Playing an audio filefrom Receiver for HTML5 where SSL is enabled in the ICA sessioncan cause the VDA to fail with an error on blue screenFrom ICAWS760WX64022LC1752
- If the VDAis installed by using the command switch servervdi VirtualChannels do not appear in HDX supported applications such asThinwire Advanced Flash or Media PlayerFromICAWS760WX64022LC1894
- The Windows serverand the desktop VDA might become unresponsive and ICA connectionsto the VDA failFrom ICAWS760WX64022LC2041
- Occasionally window positions are not retained whenusers reconnect to a VDA and are using multiple monitorsFrom ICAWS760WX64022LC2075
- In aXenDesktop session a message box appears that says a servicewants to show a message When the user clicks quotView themessagequot the XenDesktop session shows a black screen Theissue occurs when theXenDesktop VDA is already using session0From ICAWS760WX64022LC2160
- Ifusers log on to the Web Interface from within a VDA desktopsession and attempt to start the same desktop the session mightdisconnect and the VDA becomes unresponsive As a result usersmight not be able to start the desktop and the VDA must berestartedFrom ICAWS760WX64022LC2267
- Users cannot start applications after updating cipher registrykeys To apply this fix install the new version of the SSLSDKFrom ICAWS760WX64022LC2729
- When users reconnect to a VDA if quotUser ExperiencePersistencequot is enabled application windows can be in anincorrect state such as maximized instead of restoredFrom ICAWS760WX64022LC2769
- With thisfix the bandwidth cap for HDX network traffic is 20 megabits persecond MbpsFrom ICAWS760WX64022LC2780
- This release includes support for the Framehawk VirtualChannel a new ICA virtual channel that extends Citrix HDXtechnologies to improve user experience on broadband wirelessconnections where packet loss and latency are common issues Formore information see New in XenApp 76 and XenDesktop 76From ICAWS760WX64022LC2782
- Thisrelease includes an enhancement that allows users that log on withReceiver for HTML5 or Receiver for Chrome to transfer filesthrough remote sessions and local devices For more informationsee Receiver for Chrome or Receiver for HTML5FromICAWS760WX64022LC3014

## Hotfix ICAWS760WX64029 - For VDA Core Services 7.6 for Windows DesktopOS (64-bit) - English

Citrix ID:CTX201616

Downlad: <http://support.citrix.com/filedownload/CTX201616/ICAWS760WX64029.msp>

Status:HOTFIX

### New Fixes in This Release

- Graphics can appear blurred in VDA sessions in HDX3D Proenvironments with an NVidia Grid K1 graphics board and if the VDAis connected to a high latency WAN network FromICAWS760WX64029LC2877
- The mouse cursor might disappear after the user locks or unlocksa session for a few times on an HDX 3D Pro desktop FromICAWS760WX64029LC3188
- When the Desktop Viewer switches from fullscreen mode to windowmode the HDX 3D Pro session might become unresponsive for a fewminutes From ICAWS760WX64029LC3193
- The VDA might become unresponsive if a VDA session is maximizedwhen using graphic applications FromICAWS760WX64029LC3279

### Fixes from Replaced Hotfixes

- The VDA might become unresponsive if a VDA session is maximizedwhen using graphic applications FromICAWS760WX64025LC0908
- In rare cases installing or reinstalling the MSP hotfix packagecan cause the Citrix Display Driver Citrix Systems WDDM to be marked for deletion This causes the installation to fail whichleaves the VDAs display resolution unusable FromICAWS760WX64025LC3312